

s.111

1/4"-4" heavy pattern
hot forged brass gate valve



Quality

- Suitable for water-works, domestic and agricultural installations
- Heavy configuration suitable to most difficult applications

Body

- Hot forged sand blasted unplated brass body
- Low pressure drop

Stem

- High performance EPDM stem seal

Threads

- ISO 228 parallel female by female threads

Handle

- Strong red coated steel hand-wheel
- **WARNING:** do not exceed reasonable temperature and/or electrical load
- Zinc plated steel top nut

Working pressure & temperature

- 20 Bar (300 PSI) non-shock cold working pressure
- -10°C/ + 80°C
- **WARNING:** freezing of the fluid in the installation may severely damage the valve


PED directive

- The product described in this document meets the requirements of PED Directive 2014/68/UE and according to art.4 par.3, it does not require CE marking; it cannot be used with dangerous gases in sizes larger than 25mm; it cannot be used with non-dangerous gases in sizes larger than 50mm


Approved by or in compliance with

- GOST-R (Russia)

NOTE: approvals apply to specific configurations/sizes only



	PART DESCRIPTION	Q.TY	MATERIAL
1	Body	1	CW617N
2	Gate	1	CB 754S
3	Stem	1	CW614N
4	Body cap sealing	1	Guarnital Fibre
5	Cap	1	CW617N
6	Stem ring	1	CW614N
7	Packing gland seal	1	EPDM90
8	Packing gland	1	CW614N
9	Packing gland nut	1	CW614N
10	Red round handle	1	Steel
11	Handle nut	1	Steel



Code	111B00	111C00	111D00	111E00	111F00	111G00	111H00	111I00	111L00	111M00	111N00
D (inch)	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	4
DN (mm)	11	13	15	19	24	32	37	47	60	72	93
I (mm)	8	8	10	11	13	14	14	16	17	19	22
L (mm)	33	33	43	47	53	57	61	67	74	86	98
A (mm)	45	45	45	50	55	60	70	80	100	100	120
H (mm)	67	67	68	78	93	108	125	143	175	205	235

Ask for additional information on the whole range of **RuB** products and consult with your supplier for special applications.

RuB endeavors to provide comprehensive information about the installation, maintenance and operation of its products. For more details or clarification, please contact us. **RuB** reserves the right to change or modify product design, construction, specifications, materials or the information herein without prior notice and without incurring any obligation to make such changes and modifications on **RuB** products previously or subsequently sold. Content of this document is proprietary to **RuB** and it may not be copied in part or in whole without prior written authorization from **RuB**. Recommendations on application design and material selection are based on available technical data and are offered as suggestions only. Pressure and temperature ranges are for generic use of the products. Each user should make his/her own tests to determine the suitability for his/her own particular use. **RuB** offers no express or implied warranties concerning the form, fit, or function of a product in any application. **RuB** does not accept liability for errors or omissions. Any undated reference to a code or standard shall be interpreted as referring to the latest edition. **RuB** and logo are registered trademarks of **Rubinetteria utensilerie BONOMI srl**. Other logos are property of respective owners.

XCE111 - 3992